



better products
cleaner environment

STATICIDE® ANTI-STATIC FLOOR STRIPPER

Product Description

STATICIDE® ANTI-STATIC FLOOR STRIPPER provides a completely clean and finish-ready surface by emulsifying dirt and residual particles of old wax and acrylic floor finishes. Effective in hard or soft water, this biodegradable, low-foaming formula removes multiple coats of synthetic floor finishes and embedded dirt without damaging or dulling floors. When used at proper dilutions, stripper is balanced so that neutral cleaning is not necessary.

Areas of Use

STATICIDE® ANTI-STATIC FLOOR STRIPPER is safe to use on a variety of surfaces including linoleum, vinyl tiles, and concrete to remove dirt and old wax.

Special Features

- No ammonia or phosphates
- Low V.O.C
- Zero tribogeneration
- Biodegradable

Directions for use

Coverage approximately 5000 sq. ft. per diluted gallon

Dilute with 1:4 parts of water to stripper.

Apply with mop solution on floor and reapply as required to keep floor wet for 10 – 15 minutes.

Scrub floor with abrasive pad to loosen all old finish and dirt. Rinse the floor thoroughly with water. Pick up with a wet vacuum or mop. Rinse to completely remove the stripper. Repeat as necessary to completely flush stripper and dry thoroughly before application of **STATICIDE®** ESD floor finish.


For usage details, refer to product label.

Precaution

Refer to Safety Data Sheet.



SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION				
Product Identifier: STATICIDE STRIPPER		Supplier: Klenco (Singapore) Pte Ltd. Address: 18 Gul Crescent, Singapore 629527 Department: Chemical Person in Charge: Chemist		
Other means of identification: Floor Polish Stripper		Phone: (65) 6862 3388 Fax: (65) 6861 7575 Email: info@klenco-asia.com Emergency contact: (65) 6862 3388 Ext 249		
Date of SDS: 01 January 2024				
Manufacturer: ACL Incorporated 840 W. 49 th Place Chicago, IL 60609 PH : (01) 847.981.9212 [USA] FAX : (01) 847.981.9278 [USA]				
SECTION 2 - HAZARDS IDENTIFICATION				
GHS classification: Acute toxicity: Category 3; Skin irritation: Category 2				
GHS label elements: Pictogram:		Signal Words: Warning		
				
Hazard statements: H302: Harmful if swallowed. H315: Causes skin irritation.				
Precaution statements: P102: Keep out of reach of children. P262: Do not get on skin. P280: Wear protective gloves and clothing.				
SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS				
Chemical Identification	Component & Composition	Chemical Formula	CAS NO.	EC NO.
Alcohols, C9-11 ethoxylated	< 5.0 %	C ₁₃ H ₂₈ O ₂	68439-46-3	614-482-0
Sodium Metasilicate	< 5.0%	Na ₂ O ₃ Si	6834-92-0	229-912-9
Ethylene Glycol Butyl Ether	< 5.0 %	C ₆ H ₁₄ O ₂	111-76-2	203-905-0
Monoethanolamine	< 3.0 %	C ₂ H ₇ NO	141-43-5	205-483-3
Water	> 90 %	H ₂ O	7732-18-5	231-791-2
SECTION 4 – FIRST AID MEASURES				
Inhalation: Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be administered if available. Call a physician. Never give anything by mouth to an unconscious person.				
Skin contact: Wash with large amounts of soap and water. If irritation persists, consult a physician.				
Eye contact: Flush with cool water for at least 15 minutes. Then consult a physician immediately.				
Ingestion: Induce vomiting. Dilute by drinking water. Call a physician immediately.				
Notes to Physicians: Treatment should be directed at preventing absorption, administering to symptoms (if they occur), and providing supportive therapy.				
SECTION 5 – FIRE-FIGHTING MEASURES				
Suitable fire-extinguishing media: Water, dry chemical, carbon dioxide and foam.				
Specific hazards arising from the chemical: Burning can produce carbon dioxide, carbon monoxide and traces of nitrogen oxides.				
Special protective actions for fire fighters: Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.				
SECTION 6 - ACCIDENTIAL RELEASE MEASURE				
Personal precautions, protective equipment, and emergency measure: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc).				
Environmental precautions: Chemical substance should not be released into the environment (water, soil).				
Methods and materials for containment and cleaning up: Safely stop discharge. Contain material, as necessary, with dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water. Cover spills with absorbent clay, sawdust or inert material and place in closed chemical waste containers. Dispose of according to applicable local, state and federal regulations.				
SECTION 7 - HANDLING AND STORAGE				
Precaution for safe handling: Wash thoroughly after handling, especially before eating and drinking. Wash contaminated goggles, face-shield, and gloves. Launder contaminated clothing before re-use.				
Conditions for safe storage, including any incompatibilities: This product is a combustible liquid. Store in a cool, dry, well-ventilated area at room temperature. Keep away from any possible source of ignition. Store away from any oxidizing materials. Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.				

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION	
Control parameters/ Occupational exposure limits:	ACGIH - TLV: Provide suitable personal protective equipment and/or ventilation to maintain exposure below TLV levels.
Appropriate engineering control measures:	Local exhaust ventilation is usually required, when vapours, mist, or dusts can be released.
Personal Protection:	Use the protective equipment such as protective Rubber/PVC gloves; safety glasses/ goggles.
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	
Appearance & Odour:	Clear red liquid with characteristic odour.
Solubility in water:	Complete.
Boiling Point:	100 °C
Specific Gravity:	1.050+/- 0.01 g/cm ³
PH:	10.9 – 11.9
Flash Point (T.C.C.):	None to boiling Flammable Limits - Upper: Not applicable Lower: Not applicable
Vapour Pressure:	Not determined
Vapour Density:	Not determined
SECTION 10 - STABILITY AND REACTIVITY	
Reactivity/ In compatible materials:	Acids and oxidizing materials.
Chemical stability:	Stable under normal temperature and pressure.
Possibility of hazardous reaction:	Will not occur.
Condition to avoid:	Not applicable
SECTION 11 – TOXICOLOGICAL INFORMATION	
Acute toxicity: Oral:	Ingestion of high amount of product can be harmful.
Skin or eye irritation:	This product contains sodium metasilicate that may cause irritation to eyes and/or skin.
SECTION 12 – ECOLOGICAL INFORMATION	
Toxicity:	Concentrations with a pH value of 10.5 or greater especially in fresh water may be fatal to fish and other aquatic organism. Can cause damage to aquatic plants and vegetation. Ethylene glycol butyl ether: LC50 96 hours (fish) : > 100 mg/L. Material is not expected to be toxic to aquatic life.
SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal method:	Dispose off in an approved waste facility according to local regulations. It is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable waste treatment facility.
SECTION 14 – TRANSPORT INFORMATION	
This material is non-regulated and no special requirement is necessary. Non-hazardous material HS Code: 34021390	
SECTION 15 – REGULATORY INFORMATION	
International regulation:	
Classification:	This product contains sodium metasilicate as an ingredient that is classified as corrosive under EC Classification.
Risk phrases:	R22 Harmful if swallowed. R38 Irritating to skin.
Safety phrases:	S02 Keep out of reach of children. S24 Avoid contact with skin. S36/ 37 Wear suitable protective clothing and gloves.
SECTION 16 – OTHER INFORMATION	
Hazard Rating: HMIS (Hazardous Materials Information System)	
HEALTH:	2
FLAMMABILITY:	0
REACTIVITY:	0
0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme	

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.