



better products
cleaner environment

KLEN 898 **Acidic Floor Renovator**

Product Description

KLEN 898 is a blend of acids and surfactants that provide maximum cleaning efficacy to rid rust stains and hard scales from mosaic and concrete surfaces.

Areas of Use

KLEN 898 can be used on mosaic, cement, concrete and many metal surfaces for the **one-time** removal of rust stains and scale.

Special Features

- Optimum blend of acids and surfactants for maximum cleaning power.
- High viscosity enables “cling on” effect to effectively clean vertical surfaces.
- Concentrated for greater economy, dilutable for different applications.

Directions for use

Dilute with water. Dilution rates may vary, general guidelines are:

- Heavy scale - dilute 1:1
- Medium scale / rust deposits - dilute 1:4
- Light rust stains / oil deposits - dilute 1:8

Apply with mop, cloth or acid proof sprayer and allow reaction on surface for 1-2 minutes. Scrub briskly with nylon pad or stiff brush, then flush well with water.

Cleaned surface should be neutralized and maintained regularly with an alkaline detergent such as ***KLEN 1101***.

*NOTE: Use ***KLEN 898*** for one time use only on severe build-up, and not as a regular cleaning solution. It will etch marble, terrazzo, and other types of smooth or polished surfaces. If unsure about suitability of product, test on an inconspicuous spot first.*

Precaution

This product is acidic. Avoid ingestion, inhalation, eye and skin contact. Wear rubber gloves, protective clothing and provide adequate ventilation when handling. Flush or dilute with water if contacted in any way, and seek medical help if ingested, inhaled, or contacted with eye.

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION				
Product Identifier KLEN 898		Supplier: Klenco (Singapore) Pte Ltd.		
		Address: 18 Gul Crescent, Singapore 629527		
		Department: Chemical		
Other means of identification: Acidic Floor Renovator		Person in Charge: Chemist		
Date of SDS: 01 January 2024		Phone: (65) 6862 3388		
Recommended use and restriction on use: <i>KLEN 898</i> can be used on mosaic, cement, concrete and many metal surfaces for the one time removal of rust stains and scale.		Fax: (65) 6861 7575		
		Email: info@klenco-asia.com		
		Emergency contact: (65) 6862 3388 Ext 249		
SECTION 2 - HAZARDS IDENTIFICATION				
GHS classification: Acute toxicity: Oral: Category 3; Skin irritation: Category 1; Eye irritation: Category 1				
GHS label elements: Pictogram:		Signal word: Danger		
				
Hazard statements: H301: Toxic if swallowed. H314: Causes skin burns & eye damage.				
Precaution statements: P233: Keep container tightly closed. P280: Wear protective gloves and clothing.				
SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS				
Chemical Identification	Component & Composition	Chemical Formula	CAS NO.	EC NO.
Hydrochloric Acid	< 9.0 %	HCl	7647-01-0	231-595-7
Hydrofluoric Acid	< 2.0 %	HF	7664-39-3	231-634-8
Bis(2-hydroxyethyl) Tallow Alkylamine	< 1.0 %	C4H11NO2	61791-44-4	263-177-5
Red Dye	< 0.01 %	CI 14720	3567-69-9	222-657-4
Water	> 80.0 %	H ₂ O	7732-18-5	231-791-2
SECTION 4 – FIRST AID MEASURES				
Inhalation: Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be administered if available. Call a physician. Never give anything by mouth to an unconscious person.				
Skin contact: Wash with large amounts of soap and water. If irritation persists, consult a physician.				
Eye contact: Flush with cool water for at least 15 minutes. Then consult a physician immediately.				
Ingestion: Induce vomiting. Dilute by drinking water. Call a physician immediately.				
Notes to Physicians: Treatment should be directed at preventing absorption, administering to symptoms (if they occur), and providing supportive therapy.				
SECTION 5 – FIRE-FIGHTING MEASURES				
Suitable fire-extinguishing media: Water, dry chemical, fog and foam.				
Specific hazards arising from the chemical: Burning can produce carbon dioxide, carbon monoxide and traces of nitrogen oxides.				
Special protective actions for fire fighters: Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.				
SECTION 6 - ACCIDENTIAL RELEASE MEASURE				
Personal precautions, protective equipment, and emergency measures: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc).				
Environmental precautions: Chemical substance should not be released into the environment (water, soil).				
Methods and materials for containment and cleaning up: Safely stop discharge. Contain material, as necessary, with dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water. Provide optimum ventilation. Cover spills with absorbent clay, sawdust, inert material, soda ash, slaked lime and place in closed chemical waste containers. Dispose of according to applicable local, state and federal regulations.				
SECTION 7 - HANDLING AND STORAGE				
Precaution for safe handling: Handle all containers carefully. Do not throw or roll on the ground to prevent damage to containers. No other special precautions are needed for this product, as it is a mixture. Follow good manufacturing and handling practices. Wash thoroughly after handling, especially before eating and drinking, Wash contaminated goggles, face-shield, and gloves. Launder contaminated clothing before re-use.				
Conditions for safe storage, including any incompatibilities: This product is a corrosive liquid. Store in a cool, dry, well-ventilated area at room temperature. Keep away from strong alkalis and oxidizing agents, especially chlorine releasing agents. Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.				

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION	
Control parameters/ Occupational exposure limits:	ACGIH - TLV: Provide suitable personal protective equipment and/or ventilation to maintain exposure below TLV levels.
Appropriate engineering control measures:	Local exhaust ventilation is usually required, when vapours, mist, or dusts can be released.
Personal Protection:	Use the protective equipment such as rubber/PVC gloves; protective glasses if splashing is anticipated.
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	
Appearance & Odour:	Clear light pink liquid with slightly pungent odour.
Solubility in water:	Complete.
Boiling Point:	100 ° C
Specific Gravity:	1.040 +/- 0.005 g/cm ³
PH:	1.5 +/- 0.5
Flash Point (T.C.C.):	None to boiling
Flammable Limits - Upper:	Not applicable
Lower:	Not applicable
Vapour Pressure:	Not determined
Vapour Density:	Not determined
SECTION 10 - STABILITY AND REACTIVITY	
Reactivity/ In compatible materials:	Strong alkalis and oxidizing materials.
Chemical stability:	Stable under normal temperature and pressure.
Possibility of hazardous reaction:	Will not occur.
Condition to avoid:	Not applicable
SECTION 11 – TOXICOLOGICAL INFORMATION	
Acute toxicity: Oral:	Ingestion of high amount of product is fatal.
Skin or eye irritation:	This product contains Acidic material that will cause burns and intense irritation to eyes and/or skin.
SECTION 12 – ECOLOGICAL INFORMATION	
Toxicity:	Concentrations with a pH value of 6.0 or lower especially in fresh water may be fatal to fish and other aquatic organism. Can cause damage to aquatic plants and vegetation.
Persistence and degradability:	Product degrades readily by reaction of carbon dioxide in the air as well as decomposition by microorganism.
Bioaccumulative potential:	It is soluble in water and does not bio-accumulate.
SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal method:	Dispose of in an approved waste facility according to local regulations. It is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable waste treatment facility.
SECTION 14 – TRANSPORT INFORMATION	
This material is non-regulated and no special requirement is necessary. HS Code: 34024100	
SECTION 15 – REGULATORY INFORMATION	
International regulation:	
Classification:	This product contains Hydrochloric Acid as an ingredient that is classified as Corrosive under EC Classification.
Risk phrases:	R28 Very toxic if swallowed. R34 Causes burns.
Safety phrases:	S07 Keep container tightly closed. S18 Handle and open container with care. S50 Do not mix with oxidizing materials
SECTION 16 – OTHER INFORMATION	
Hazard Rating: HMIS (Hazardous Materials Information System)	
HEALTH:	1
FLAMMABILITY:	0
REACTIVITY:	1
0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme	

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.