



better products
cleaner environment

HYDROPOWER ULTRAPURE WATER WINDOW CLEANING SYSTEM



HydroPower Ultra is setting a new standard in deionizing filter technology for pure water cleaning. A definite value-add for every professional glass and building cleaner.

Glasses stained by weather elements, dust, soap residue from previous cleaning can be easily removed by using pure water as it leaves no water marks or streaks when dried. Upgraded with over 30% more pure water per resin filling. Every *Ultra* resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a new formula, perfected for glass cleaning.

The **water-fed nLite® poles** can be used to clean windows and facades, solar panels, signs, vehicles etc. The system offers everything you need to be able to work up to a height of 20 m, while standing safely on the ground.



Hose Management
The practical *nLite* clips can be used to secure a hose externally, along the entire length of the pole.



FastLock quick-fit Fastener
Easy to open & close the tank. Self-locking mechanism with pressure-relief valve.



QuickChange™ Resin Bags
Change the resin in seconds - anytime and anywhere!



Ultra Resin Packs
Perfected ion-exchange resin ensures efficient flow of water & optimises the resin saturation

Basic Kit for Pure Water Cleaning



Filter Station

+



Pole

+



Angle Adapter

+



Brush

+



Hose

KLENGO (SINGAPORE) PTE LTD

18 Gul Crescent, Singapore 629527 • Tel: +65 6862 3388 • Fax: +65 6861 7575 • info@klenco-asia.com • www.klenco-asia.com

Company Registration No: 197100402R


KLENGO products are used in over 20 countries across Asia, the Middle East, Europe and Africa



Technical Specifications

	Ultra Filter-S UGDIUH1	Ultra Filter-L UGDIUH2	Ultra Filter-LC UGDIUH3
TDS meter for monitoring pure water level	Yes	Yes	Yes
Resin Pack	1 x 6L	3 x 6L	3 x 6L
Productivity	710L of pure water	2450L of pure water	2450L of pure water
Dimension	30 x 31 x 35cm (H)	30 x 31 x 77cm (H)	30 x 31 x 107cm (H)
Weight (incl. Resin Bag)	10kg	22kg	31kg

Optional Accessories - UGDIUH1 & UGDIUH3



OVER 30 %* MORE PURE WATER PER RESIN FILLING

Every Ultra resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a **new formula, perfected for glass cleaning**.

The **FloWater technology 2.0** in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the **resin saturation**

- UGDIUBS HydroPower Ultra Filter-S Cartridge for (1 x 6L)
- UGDIUB1 HydroPower Ultra Filter-S cartridge (box of 3 x 6L)
- UGDIUB3 HydroPower Ultra Filter-L cartridge (box of 3 x 6L)
- KWNM-H302-2 Castor D75mm with plastic insert for Ultra Filter-S unit (4 required)



Optional Accessories - UGDI12T & UGDI48C (old version)

HIGH COMFORT

The **QuickChange** Resin Bags allow users to speed up the resin change process – simply remove the bag with expired resin and insert a new one.

The **QuickChange** Resin Bags offer fast and easy resin replacement on the spot with minimal mess – anytime and anywhere!



- UGDIB61 Replacement 6L resin bag
- UGDIB64 Replacement 4 x 6L resin bags



NLITE WATER-FED POLES SYSTEM

UNGER NLITE CARBON 24K COMPLETE POLE SET made of high quality carbon fibres, with superior lightweight and rigidity for professional cleaning of windows, facades and solar panels. **UGCF12H**



Set consists of:

- UGCF86G nLite Carbon 24K main telescopic pole, 6-section extend up to 8.60m
- UGCF33G nLite Carbon 24K extension pole, 2-section extend up to 3.20m
- UGNLHCC Main & Extension pole adaptor
- UGNGS30 Angle adaptor with 2-angle adjustment
- UGNFK28 Flagged Brush with quick connectors
- UGDLS25 Durable green water hose complete 25m

UNGER NLITE CARBON 24K WATER-FED TELESCOPIC MAIN POLE manufactured from high grade carbon fibres of superior lightweight (1.84kg) and rigidity for professional cleaning of facades and windows. Unit consists of 6 sectional poles and can extend up to 8.60m. **UGCF86G**

Note: To reach maximum working height of 16m, add optional 2 sets of extension poles – UGCF33G



UNGER NLITE CARBON 24K WATER-FED TELESCOPIC EXTENSION POLE (0.82kg) consists of 2 sectional poles and can extend up to 3.20m. **UGCF33G**

OPTIONAL ACCESSORIES – NLITE CARBON 24K:



UGNLHCC **Unger nLite Carbon 24K** Extension Adaptor, Pole End Adaptor for main/ extension pole



UGNGS30 **Unger nLite Carbon 24K Pole** Angle Adaptor, 45cm length with 2-angle adjustments



UGNFF28 **Unger nLite** 28cm Simple Power Brush with green spliced bristles and short hose with quick connector



UGDLS25 Unger Durable 25m Water Supply Hose with quick connector



UGNLBAG Unger nLite Carbon 24K Bag made from durable nylon material with carrying belt for storage, protection and transportation of telescopic poles and accessories.



NLITE HIMOD CARBON POLE SYSTEM



NLITE HIMOD CARBON MASTER TELESCOPIC POLE manufactured from high grade carbon fibres for super lightweight (1.5kg) and rigidity that consists of 4 sectional poles extended up to 6.63m and c/w bottom end cap. **UGUC67G**

Note: To reach maximum working height of 20m, add optional 4 sets of extension poles – UGUC35G.

NLITE HIMOD CARBON EXTENSION POLE manufactured from high grade carbon fibres for super lightweight (0.7kg) and rigidity. Extension pole consists of 2 sectional poles extended up to 3.41m for connecting to Master Pole. **UGUC35G**

NLITE ONE GLASSFIBRE telescopic pole of rigid lightweight glass fibre with 2 x sectional poles extended up to 2.50m c/w bottom end cap. **UGGF25T**

NLITE ONE GLASSFIBRE telescopic pole of rigid lightweight glass fibre with 4 x sectional poles extended up to 4.50m c/w bottom end cap. **UGGF45T**

NLITE ALUMINIUM MASTER telescopic pole of rigid lightweight aluminium (2.0kg) 4 x sectional poles extended up to 6.00m and c/w bottom end cap. **UGAN60G**

OPTIONAL ACCESSORIES – HIMOD CARBON POLE SYSTEM



UGNLG20 **nLite MultiLink Gooseneck** of 20cm length with ultra-light carbon fibre and threaded brush adaptor to achieve any working angle.



UGNLR27 **nLite Radius Brush** super light radius shape water-fed brush of 27cm width with 2-pencil jets and hose for cleaning external windows.



nLite Hose nylon braided flexible yellow pure water hose with connector to DI filter station.

UGNL11G 11m
UGNL25G 25m



UGTMOOV **nLite Control** pure water flow control lever with quick fitting to pole.



UGHCDEU Chemical dispenser with dilution control valve for cleaning heavily soiled surfaces.



UGNLBA1 **nLite Connect Bag** made from durable nylon material with carrying belt for storage, protection, and transportation of HiFlo telescopic poles and accessories.